
If you care about HEALTH CARE

your VOTE MATTERS!

Black/African American men and women in Iowa have rates of diabetes 2 or more times those of whites. Rates for Hispanic men and women are also high compared to white lowans.

MORE LIKELY TO DEVELOP DIABETES




66%

Black/African American men have a 66% higher stroke death rate than white men in Iowa. Black/African American women have a 39% higher rate than white women in lowa.

10%

Black/African Americans are diagnosed with cancer at a 10% higher rate than whites and die from cancer at rates nearly 1.5 times that of white Iowans. Black/African Americans die at higher rates than any other racial group in lowa. American Indians/Alaska Natives have the highest rates of cancer incidence in Iowa.

MORE LIKELY TO DEVELOP CANCER





Racial and ethnic minorities are less likely to get the preventative care they need to stay healthy, more likely to suffer from serious illnesses, and when they do get sick, are less likely to have access to quality health care. Our state and federal goverments can enact policies to bring down health care costs, invest in prevention and wellness, support improvements in primary care, and increase access to health and social services.

Source: Iowa Dept. of Public Health, "Data Collection of Chronic Diseases in Multicultural Groups of Racial and Ethnic Diversity in Iowa"

Information provided by: Johnson County Interfaith Coalition organizeiowa.com